

SecuGen

SecuGen WebAPI Programmer's Manual

SDK version 0.9

2nd Edition Copyright 2018 SecuGen Corporation with authorization from SecuGen India Pvt. Ltd.
Original ©2015 SecuGen India Pvt. Ltd.

ALL RIGHTS RESERVED. Specifications are subject to change without notice. SecuGen, Auto-On, and UN20 are trademarks or registered trademarks of SecuGen Corporation. All other brands or product names may be trademarks, service marks or registered trademarks of their respective owners.

1. Introduction

SecuGen WebAPI is an application programming interface that enables web applications to access SecuGen fingerprint readers from most modern web browsers. With support for JavaScript access to the readers, SecuGen WebAPI can be used across different browsers for extremely fast capturing and matching of fingerprint data for use in a web application.

SecuGen WebAPI makes it very simple to incorporate fingerprint capturing functionality in your browser based application through JavaScript. Using SecuGen WebAPI eliminates the need for Java runtimes or browser plug-ins on the client machine, so there are no issues involving applet signing and deployment related to different JRE versions and browser versions. This document describes the RESTFUL web service calls that are supported by SecuGen WebAPI.

Main Features

- Easy to integrate fingerprint capture, enrollment, and matching functions
- Works with most modern web browsers
- Supports JavaScript
- Utilizes RESTful web service and JSON objects
- No Java runtimes needed
- No browser plug-ins needed
- Small client software

Fingerprint Functions Provided

SecuGen WebAPI provides simple web service calls to the WebAPI Client application to capture fingerprint data and create a fingerprint template in a single method.


- Capture – single finger
- Capture and enroll – single finger
- Capture and enroll – multiple fingers
- Match

UIDAI/Aadhaar Specific Support

SecuGen WebAPI provides calls that are specific to UIDAI to capture PID block for single or multiple fingers. Support for UIDAI BFD (Best Finger Detection) provides RBD block with local duplicate check. Applications such as Aadhaar authentication, Aadhaar-based e-KYC, and BFD are extremely easy to develop and deploy as web-based applications using SecuGen WebAPI.

License Requirements

A license key for each domain that hosts your web application will be needed. If no license key is installed, the web service will work for a limited period of 60 days. Please contact your SecuGen Representative for information about licensing and pricing.



2. Installation and Requirements

System Requirements

- Windows 7 or later, 32-bit or 64-bit
- Memory 4 GB minimum

Supported SecuGen Fingerprint Readers

- Hamster Pro 20 (HU20)
- Hamster Pro (HUPx)
- Hamster IV (HSDU04P)
- Hamster Plus (HSDU03P)


Drivers for Fingerprint Reader

This product is built on top of the drivers for the supported SecuGen fingerprint readers listed above. It is recommended that the latest driver be installed. The drivers can be installed by one of two ways:


- (A) Plug in the SecuGen fingerprint reader and the driver will automatically download and install via Windows Update, or
- (B) Go to <http://www.secugen.com/download>, download and manually install the latest WBF driver.

WebAPI Client Application


To download the WebAPI client application (SgiBioSrv), go to: <https://webapi.secugen.com/> and click on the appropriate link for the 32-bit or 64-bit client.




Run the downloaded zip file.




Click Yes to continue with installation.




Click "I accept the agreement" and click Next.




Fill in the User Name field along with the appropriate Organization. The User Name field is prepopulated with the name of the current Window user. Click Next.



A default location is listed but can be changed if desired. Click Next.



Review the summary information and click Install to continue.



Select Yes and click Finish to complete the installation.

3. SGIFPCapture

The SGIFPCapture service returns fingerprint data, details of the fingerprint reader, and the extracted template to the caller as a JSON object. For HTTP requests, this service can be called as URI <https://localhost:8000/SGIFPCapture>. The port number may change depending on the way the service is configured. The default port for the service is 8000.

Parameters

The following table describes the parameters and their permissible values that can be passed to the service. All the parameters are optional, and their defaults are described below.

Name	Type	Description
Licstr	STRING	This is the license key provided for the domain. If not provided, the Web server will work for only a limited period of 60 days.
Timeout	INTEGER	Specifies the timeout in milliseconds to wait for the sensing operation to complete. If fingerprint image is not captured within this time (i.e. user does not place the finger on the reader), then an error is generated. Default value is 10000.
Quality	INTEGER	Specifies the quality of the image. Desired value is from 1 to 100. Higher value implies better image. Default value is 50.
TemplateFormat	STRING	Extractor template format is specified in this parameter. Currently supported values are "ISO" and "ANSI". Default is "ISO".

JSON Object Returned

The web service returns a JSON formatted object that contains the following fields.

Name	Type	Description
ErrorCode	INTEGER	Integer value indicating error if any. Value of 0 indicates no error. Non-zero error code indicates various errors described in this document elsewhere. <i>You must check this value before accessing other fields of JSON object. If this is not 0, then other fields are NULL or undefined.</i>
Manufacturer	STRING	SecuGen
Model	STRING	String indicating model of fingerprint reader
SerialNumber	STRING	String containing the unique serial number of the connected reader
ImageWidth	INTEGER	Integer value indicating the width of the fingerprint image in pixels
ImageHeight	INTEGER	Integer value indicating the height of the fingerprint image in pixels
ImageDPI	INTEGER	Integer value indicating resolution of the fingerprint image in dots per inch
ImageQuality	INTEGER	Integer value indicating the quality of the image captured. It will always be equal to or higher than the quality parameter passed as argument
NFIQ	INTEGER	Integer value, NIST Finger Image Quality number from 1 – 5, where 1 is best and 5 is worst

Name	Type	Description
ImageDataBase64	STRING	String containing actual raw image data encoded as a base64 string
BMPBase64	STRING	String value fingerprint image in .BMP format encoded as a base64 string, useful for display in browser using data element in image tag
TemplateBase64	STRING	String value containing fingerprint template encoded as a base64 format. This value is encrypted if called with session key parameter.

4. SGIEnrollCapture

The SGIEnrollCapture service is useful for capturing multiple fingerprints from the fingerprint reader. The parameters are the same as those used for SGIFPCapture and can be used to capture one fingerprint as well.

For HTTP requests, this service can be called as URI <https://localhost:8000/SGIFPEnroll>. The port number may change depending on the way the service is configured. The default port for the service is 8000.

The first call to this service creates a unique session and returns the session handle in the returned JSON object. The caller can use this handle for subsequent calls to capture additional fingerprints in the same session. These are accumulated by the service until the session ends. The session ends when the service is called with a null session handle or no session handle. Every call returns a JSON object containing all the templates captured up until that point.

If you wish to capture multiple fingerprints, call this service the first time with the SrvHandle parameter as null (or do not provide it at all). When the call returns, you will receive a session handle as part of the JSON object, which you can keep on passing for as long as you wish the fingerprint scans to be accumulated.

Call this service once for each capture along with the same server handle to accumulate fingerprint scans. The service also ensures that one fingerprint is present only once in the array, i.e. a local duplicate check is performed on the client end. The returned JSON object will contain an array of templates and current scan data.

Parameters

The following table describes the parameters and their permissible values that can be passed to the service. All the parameters are optional, and their defaults are described below.

Name	Type	Description
Licstr	STRING	This is the license key provided for the domain. If not provided, the Web server will work for only a limited period of 60 days.
Timeout	INTEGER	Specifies the timeout in milliseconds to wait for the sensing operation to complete. If fingerprint image is not captured within this time (i.e. user does not place the finger on the reader), then an error is generated. Default value is 10000.
Quality	INTEGER	Specifies the quality of the image. Desired value is from 1 to 100. Higher value implies better image. Default value is 50.
TemplateFormat	STRING	Extractor template format is specified in this parameter. Currently supported values are "ISO" and "ANSI". Default is "ISO".
SrvHandle	INTEGER	Service handle returned by the call. If the same handle is passed, then the service will continue to accumulate fingerprint scans, while checking for duplicates. This works as a session ID, where accumulation of scan is per session. When this value is not passed, a new session begins, and earlier data is lost.

JSON object returned is described below.

```
{
  ErrorCode: INTEGER,
  Manufacturer: STRING,
  Model: STRING,
  SerialNumber: STRING,
  ImageWidth: INTEGER,
  ImageHeight: INTEGER,
  ImageDPI: INTEGER,
  ImageQuality: INTEGER,
  ImageNFIQ: INTEGER,
  Attempts: INTEGER,
  Result: INTEGER,
  EnrollData : { Templates :
                  [ { fpos : STRING, nfiq : INTEGER, TemplateBase64 : STRING },
                    { fpos : STRING, nfiq : INTEGER, TemplateBase64 : STRING },
                    ...
                  ]
                }
  SerHandle: INTEGER,
  BMPBase64: STRING
}
```

Note that the EnrollData object contains an array of all the templates captured in the same session. The fields in the main object pertain to the current scan and maybe useful for a variety of functions such as displaying the image or determining the quality of the current scan. The attempts field counts the number of attempts made to achieve the specified quality. A maximum of 3 attempts is allowed.

5. SGIMatchScore

The SGIMatchScore service takes two templates as input, compares them with each other, and returns a matching score back to the calling application. For HTTP requests, this service can be called as URI <https://localhost:8000/SGIMatchScore>. The port number may change depending on the way the service is configured. The default port for the service is 8000.

Parameters

The following table describes the parameters and their permissible values that can be passed to the service. All the parameters are optional, and their defaults are described below.

Name	Type	Description
Licstr	STRING	This is the license key provided for the domain. If not provided, the Web server will work for only a limited period of 60 days.
Template1	STRING	String value containing template encoded as base 64 format. This value is encrypted if called with session key parameter.
Template2	STRING	String value containing template encoded as base 64 format. This value is encrypted if called with session key parameter.
TemplateFormat	STRING	Extractor template format is specified in this parameter. Currently supported values are "ISO" and "ANSI". Default is "ISO".

JSON Object Returned

The web service returns a JSON formatted object that contains the following fields.

Name	Type	Description
ErrorCode	INTEGER	Integer value indicating error if any. Value of 0 indicates no error. Non-zero error code indicates various errors described in this document elsewhere. You must check this value before accessing other fields of JSON object. If this is not 0, then other fields are NULL or undefined.
MatchingScore	INTEGER	Integer value indicating the matching score of the 2 templates previously captured. Matching score is 0 – 199, with 199 being the very close to an identical match.

Error Codes

ERROR CODE	DESCRIPTION
0	No error
1	Creation failed (fingerprint reader not correctly installed or driver files error)
2	Function failed (wrong type of fingerprint reader or not correctly installed)
3	Internal (invalid parameters to sensor API)
5	DLL load failed
6	DLL load failed for driver
7	DLL load failed for algorithm
51	System file load failure

ERROR CODE	DESCRIPTION
52	Sensor chip initialization failed
53	Sensor line dropped
54	Timeout
55	Device not found
56	Driver load failed
57	Wrong image
58	Lack of bandwidth
59	Device busy
60	Cannot get serial number of the device
61	Unsupported device
101	Very low minutiae count
102	Wrong template type
103	Invalid template
104	Invalid template
105	Could not extract features
106	Match failed
1000	No memory
4000	Invalid parameter passed to service
2000	Internal error
3000	Internal error extended
6000	Certificate error cannot decode
10001	License error
10002	Invalid domain
10003	License expired

Appendix A. License Agreement

SECUGEN SDK LICENSE AGREEMENT (1-1-LSI-0917)

This Software Development Kit License Agreement (“Agreement”) is a legal agreement between SecuGen Corporation (“SecuGen”) and you, either as an individual or a duly authorized representative of a business entity, organization, or agency, (hereafter referred to as “Licensee”), the subject matter of which is SecuGen’s WebAPI Software Development Kit, which includes computer software (together with any updates or upgrades provided to Licensee by SecuGen) and may include associated media, authorization keys and online or electronic documentation, or any portion thereof (collectively referred to herein as “SDK”). By downloading, installing, copying or otherwise using the SDK, Licensee agrees to be bound by the terms and conditions of this Agreement. If you do not agree to the terms and conditions of this Agreement, do not install, copy or use the SDK; if the SDK was downloaded, please remove and delete the original and all copies of the SDK from all computer(s) and media on which it may have been stored or installed.

1. LICENSE

SecuGen grants to Licensee a personal, internal, limited, non-transferable, non-exclusive right (which shall be revocable pursuant to the terms of this Agreement) to install and use the SDK on as many computers as is required within Licensee’s organization solely for the following purposes: (a) to use the SDK for the development of a software application (“Licensee Application”) that incorporates proprietary software contained in the SDK and that is to be used with SecuGen fingerprint readers or fingerprint images obtained from SecuGen fingerprint readers, (b) to modify the sample code located in the SDK’s “samples” directories in source code format (“Sample Code”), solely to compile such Sample Code and incorporate the compiled Sample Code into a Licensee Application, or (c) to sell, license, distribute and sublicense any and all Licensee Application that incorporates compiled elements of the SDK.

2. RESTRICTIONS AND LIMITATIONS

2.1 The SDK contains intellectual property that belong to SecuGen and SecuGen India Pvt. Ltd. (“SecuGen India”), and SecuGen has full authority to license and distribute the SDK to Licensee. Licensee acknowledges that Licensee Application will contain the proprietary materials and information of SecuGen and SecuGen India. Accordingly, Licensee shall ensure that no Licensee Application makes available to any third party with any access to a Licensee Application (whether an end user, distributor, OEM or otherwise) any application programming interface that provides access to the same or similar functionality as that provided by the SDK or any part thereof.

2.2 Licensee acknowledges and represents that each and every fingerprint image processed by Licensee Application that uses SecuGen’s template extraction algorithm and/or template matching algorithm, as provided in the SDK, will be obtained from a SecuGen fingerprint reader, unless an exception is provided in writing to Licensee by an authorized representative of SecuGen or such use is covered by a separate written agreement between the parties.

2.3 Except as expressly stated herein, Licensee may not modify, adapt, reverse engineer, decompile, disassemble, rent, lease, transfer, sublicense, sell, assign or distribute the SDK or any part thereof.

2.4 Licensee acknowledges that nothing under this Agreement, either express or implied, grants to Licensee any rights in any other SecuGen software or hardware, and any license rights in such products must be obtained under separate agreement.

2.5 SecuGen reserves all rights, title and interests of any kind that are not expressly granted to Licensee in this Agreement.

3. INTELLECTUAL PROPERTY RIGHTS

SecuGen and SecuGen India retain title to and all ownership interests in all of their respective proprietary rights, including without limitation copyrights, trademark rights and service rights, patent rights, trade secret rights, and all other intellectual and industrial property rights throughout the world (“IPR”), with respect to the SDK and all copies or portions thereof, whether or not incorporated into or used in connection with any other products, including without limitation software or documentation materials. Licensee acknowledges that the Sample Code in source code format constitutes confidential information and a trade secret of SecuGen and SecuGen India. Licensee acknowledges that the SDK is licensed and not sold under this Agreement, that nothing in this Agreement shall constitute or be construed to constitute a sale of the SDK or any portion or copy thereof and that no title to or ownership interest in any rights, including without limitation IPR, with respect to the SDK or any components thereof is transferred to Licensee. Except as expressly provided herein, no implied rights are granted to Licensee under SecuGen’s or SecuGen India’s Intellectual Property Rights.

4. TERMINATION

4.1 Licensee may terminate this Agreement at any time by providing written notice to SecuGen. SecuGen has the right to terminate this Agreement if the Licensee materially breaches any obligation hereunder, which default is incapable of cure or which, being capable of cure, has not been cured within fourteen (14) days after receipt of written notice from SecuGen. SecuGen has the right to terminate this Agreement, immediately upon notice, if Licensee ceases to conduct business in the normal course, is declared insolvent, makes a general assignment for the benefit of creditors, or a petition for bankruptcy, reorganization, dissolution or liquidation is filed by or against it.

4.2 Upon termination of this Agreement, all rights to use the SDK shall cease, and Licensee shall immediately (i) cease all use of the SDK and all parts thereof; (ii) cease distribution of Licensee Application that includes any portion of the SDK; and (iii) return or destroy the SDK and related materials provided to Licensee in Licensee’s possession or control.

4.3 Upon termination or expiration of this Agreement, all provisions shall survive except for Section 1.

5. WARRANTY DISCLAIMER

THE SDK IS PROVIDED “AS IS” WITHOUT ANY WARRANTY OF ANY KIND. SECUGEN MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, WHETHER EXPRESS OR IMPLIED (EITHER IN FACT OR BY OPERATION OF LAW), WITH RESPECT TO OR RELATING TO THE SDK OR THIS AGREEMENT. SECUGEN EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, ALL WARRANTIES OF ACCURACY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT AND ALL WARRANTIES THAT MAY ARISE FROM COURSE OF DEALING, COURSE OF PERFORMANCE OR USAGE

OF TRADE. SECUGEN DOES NOT WARRANT THAT THE SDK WILL BE ERROR-FREE OR THAT OPERATION OF THE SDK WILL BE UNINTERRUPTED, AND HEREBY DISCLAIMS ANY AND ALL LIABILITY ON ACCOUNT THEREOF. SECUGEN MAKES NO WARRANTY THAT ALL ERRORS, FAILURES OR DEFECTS WILL BE CORRECTED. THIS SECTION SHALL BE ENFORCEABLE TO THE MAXIMUM EXTENT ALLOWED BY APPLICABLE LAW. Some jurisdictions do not allow the exclusion of implied warranties, so the above exclusion may not apply to Licensee. In this case, Licensee's sole and exclusive remedy for a breach of warranty shall be, at SecuGen's option and in its sole discretion, replacement or repair of the SDK or return thereof for a refund of the purchase price, if any.

6. LIMITATIONS OF LIABILITY

IN NO EVENT SHALL SECUGEN, ITS AFFILIATES OR SUPPLIERS BE LIABLE TO LICENSEE, ITS AFFILIATES OR CUSTOMERS FOR ANY INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL OR PUNITIVE DAMAGES WHATSOEVER, INCLUDING WITHOUT LIMITATION DAMAGES FOR LOST PROFITS OR REVENUE, LOST BUSINESS OPPORTUNITIES, LOST OR INACCESSIBLE DATA OR INFORMATION, INABILITY TO ACCESS DATA OR INFORMATION, UNAUTHORIZED ACCESS TO DATA OR INFORMATION, OR OTHER PECUNIARY LOSS, ARISING OUT OF OR RELATED TO THIS AGREEMENT, THE SUBJECT MATTER HEREOF OR THE AUTHORIZED OR UNAUTHORIZED USE OF OR INABILITY TO USE THE SDK, WHETHER LIABILITY IS ASSERTED IN CONTRACT OR TORT (INCLUDING NEGLIGENCE AND STRICT PRODUCT LIABILITY) OR OTHERWISE AND IRRESPECTIVE OF WHETHER SECUGEN HAS BEEN ADVISED OF THE POSSIBILITY OF ANY SUCH LOSS OR DAMAGE. IN NO EVENT SHALL SECUGEN'S AGGREGATE LIABILITY UNDER THIS AGREEMENT OR ARISING OUT OF OR RELATED TO THE SUBJECT MATTER HEREOF EXCEED THE AMOUNT PAID TO SECUGEN TO LICENSE THE SDK. Some jurisdictions do not allow the limitation of incidental or consequential damages so this limitation may not apply fully to Licensee, but such limitation shall apply to the maximum extent permitted by applicable law. Licensee acknowledges that the pricing of the SDK and other terms and conditions of this Agreement reflect the allocation of risk set forth in this Agreement and that SecuGen would not enter into this Agreement without these limitations on its liability. Licensee agrees to defend, indemnify and hold harmless SecuGen and any of its directors, officers, employees, affiliates or agents from and against any and all loss, damage, liability and other expenses (including reasonable attorneys' fees), resulting from Licensee's use of the SDK or violation of the terms and conditions of this Agreement.

7. INDEMNIFICATION

Licensee shall defend, indemnify and hold harmless SecuGen, its officers, directors and employees, from and against any claims, suits, proceedings or threats thereof and any losses, damages, fines, expenses (including but not limited to attorneys' fees and costs), judgments, awards, or other liabilities or damages (a) arising out of or relating to any claims that Licensee's use or distribution of the SDK or Sample Code in conjunction with any Licensee Application infringes, violates or misappropriates any IPR of any third party, or (b) resulting from any breach of this Agreement by Licensee.

8. GENERAL

8.1 Governing Law and Venue. This Agreement shall be governed by and construed in accordance with the laws of the United States and the State of California as such laws are applied to contracts between California residents entered into and to be performed entirely within California. The United Nations Convention on Contracts for the International Sale of Goods shall not apply to this Agreement. Licensee hereby submits to the sole and exclusive jurisdiction of, and waives any venue objections against, the United States District Court for Northern California and the Superior Court of the State of California for

the County of Santa Clara and the Santa Clara Municipal Court in regard to all disputes and litigation arising under or relating to this Agreement.

8.2 U.S. Government Restricted Rights. If Licensee is an agency or instrumentality of the United States Government (“Government”), the SDK is “commercial computer software” and “commercial computer software documentation”, as specified in FAR 12.212 or DFARS 227.7202, and the use, reproduction and disclosure of the SDK shall be governed by the terms of this Agreement. If Licensee delivers Licensee Application including portions of the SDK to the Government, Licensee shall identify the SDK as “commercial computer software” and “commercial computer software documentation,” as specified in FAR 12.212 or DFARS 227.7202, shall restrict the Government’s rights to use, reproduce or disclose the SDK in accordance with the terms of this Agreement.

8.3 Export Law Assurances. Licensee acknowledges that the SDK, and the underlying software, may be subject to restrictions under export control laws and regulations administered by the United States government. Licensee agrees to comply with these laws and regulations and will not export or re-export the SDK, or any part of the SDK, in violation of these laws and regulations, directly or indirectly.

8.4 Modification. This Agreement may not be modified except in a writing duly signed by an authorized representative of SecuGen and Licensee.

8.5 No Assignment. Licensee’s rights and obligations under this Agreement shall not be assignable, delegable, sub-licensable or otherwise transferable, whether voluntarily, by operation of law or otherwise, without SecuGen’s prior written approval. SecuGen may freely assign this Agreement and/or its rights and obligations hereunder.

8.6 Severability. If any provision of this Agreement is held to be unenforceable for any reason, the remaining provisions hereof shall be unaffected and shall remain in full force and effect.

8.7 Notices. Any notices shall be in writing and in the English language and will be deemed to have been given if delivered personally or mailed by registered air mail postage prepaid to the respective addresses of each party.

8.8 Entire Agreement. This Agreement contains the entire understanding of the parties with respect to the subject matter of this Agreement and merges and supersedes all prior and contemporaneous agreements and understandings between the parties, whether oral or written, with respect to the subject matter of this Agreement.